

NAME

CURLOPT_REDIR_PROTOCOLS – set protocols allowed to redirect to

SYNOPSIS

```
#include <curl/curl.h>
```

```
CURLcode curl_easy_setopt(CURL *handle, CURLOPT_REDIR_PROTOCOLS, long bitmask);
```

DESCRIPTION

Pass a long that holds a bitmask of CURLPROTO_* defines. If used, this bitmask limits what protocols libcurl may use in a transfer that it follows to in a redirect when *CURLOPT_FOLLOWLOCATION(3)* is enabled. This allows you to limit specific transfers to only be allowed to use a subset of protocols in redirections. By default libcurl will allow all protocols except for FILE and SCP.

These are the available protocol defines:

```
CURLPROTO_DICT  
CURLPROTO_FILE  
CURLPROTO_FTP  
CURLPROTO_FTPS  
CURLPROTO_GOPHER  
CURLPROTO_HTTP  
CURLPROTO_HTTPS  
CURLPROTO_IMAP  
CURLPROTO_IMAPS  
CURLPROTO_LDAP  
CURLPROTO_LDAPS  
CURLPROTO_POP3  
CURLPROTO_POP3S  
CURLPROTO_RTMP  
CURLPROTO_RTMPE  
CURLPROTO_RTMPS  
CURLPROTO_RTMPT  
CURLPROTO_RTMPTE  
CURLPROTO_RTMPTS  
CURLPROTO_RTSP  
CURLPROTO_SCP  
CURLPROTO_SFTP  
CURLPROTO_SMB  
CURLPROTO_SMTP  
CURLPROTO_SMTPE  
CURLPROTO_TELNET  
CURLPROTO_TFTP
```

DEFAULT

All protocols except for FILE, SCP and SMB.

PROTOCOLS

All

EXAMPLE

```
curl = curl_easy_init();  
if(curl) {  
    /* pass in the URL from an external source */  
    curl_easy_setopt(curl, CURLOPT_URL, argv[1]);  
  
    /* only allow redirects to HTTP and HTTPS URLs */  
    curl_easy_setopt(curl, CURLOPT_REDIR_PROTOCOLS,
```

```
CURLPROTO_HTTP | CURLPROTO_HTTPS);

/* Perform the request */
curl_easy_perform(curl);
}
```

AVAILABILITY

Added in 7.19.4, before then it would follow all protocols.

RETURN VALUE

Returns CURLE_OK if the option is supported, and CURLE_UNKNOWN_OPTION if not.

SEE ALSO

[CURLOPT_PROTOCOLS\(3\)](#),