NAME

libcurl-symbols - libcurl symbol version information

libcurl symbols

This man page details version information for public symbols provided in the libcurl header files. This lists the first version in which the symbol was introduced and for some symbols two additional information pieces:

The first version in which the symbol is marked "deprecated" - meaning that since that version no new code should be written to use the symbol as it is marked for getting removed in a future.

The last version that featured the specific symbol. Using the symbol in source code will make it no longer compile error-free after that specified version.

This man page is automatically generated from the symbols-in-versions file.

CURLAUTH ANY

Introduced in 7.10.6

CURLAUTH_ANYSAFE

Introduced in 7.10.6

CURLAUTH_BASIC

Introduced in 7.10.6

CURLAUTH_DIGEST

Introduced in 7.10.6

CURLAUTH DIGEST IE

Introduced in 7.19.3

CURLAUTH GSSNEGOTIATE

Introduced in 7.10.6 Deprecated since 7.38.0

CURLAUTH_NEGOTIATE

Introduced in 7.38.0

CURLAUTH_NONE

Introduced in 7.10.6

CURLAUTH_NTLM

Introduced in 7.10.6

CURLAUTH_NTLM_WB

Introduced in 7.22.0

CURLAUTH ONLY

Introduced in 7.21.3

CURLCLOSEPOLICY_CALLBACK

Introduced in 7.7

CURLCLOSEPOLICY_LEAST_RECENTLY_USED

Introduced in 7.7

CURLCLOSEPOLICY_LEAST_TRAFFIC

Introduced in 7.7

CURLCLOSEPOLICY_NONE

Introduced in 7.7

CURLCLOSEPOLICY_OLDEST

Introduced in 7.7

CURLCLOSEPOLICY_SLOWEST

Introduced in 7.7

CURLE_ABORTED_BY_CALLBACK Introduced in 7.1

CURLE AGAIN

Introduced in 7.18.2

CURLE_ALREADY_COMPLETE

Introduced in 7.7.2

CURLE BAD CALLING ORDER

Introduced in 7.1 Deprecated since 7.17.0

CURLE_BAD_CONTENT_ENCODING

Introduced in 7.10

CURLE_BAD_DOWNLOAD_RESUME

Introduced in 7.10

CURLE_BAD_FUNCTION_ARGUMENT

Introduced in 7.1

CURLE_BAD_PASSWORD_ENTERED

Introduced in 7.4.2 Deprecated since 7.17.0

CURLE_CHUNK_FAILED

Introduced in 7.21.0

CURLE_CONV_FAILED

Introduced in 7.15.4

CURLE_CONV_REQD

Introduced in 7.15.4

CURLE_COULDNT_CONNECT

Introduced in 7.1

CURLE_COULDNT_RESOLVE_HOST

Introduced in 7.1

CURLE_COULDNT_RESOLVE_PROXY

Introduced in 7.1

CURLE_FAILED_INIT

Introduced in 7.1

CURLE_FILESIZE_EXCEEDED

Introduced in 7.10.8

CURLE_FILE_COULDNT_READ_FILE

Introduced in 7.1

CURLE_FTP_ACCEPT_FAILED

Introduced in 7.24.0

CURLE_FTP_ACCEPT_TIMEOUT

Introduced in 7.24.0

CURLE_FTP_ACCESS_DENIED

Introduced in 7.1

CURLE_FTP_BAD_DOWNLOAD_RESUME

Introduced in 7.1 Deprecated since 7.1

- CURLE_FTP_BAD_FILE_LIST Introduced in 7.21.0
- CURLE_FTP_CANT_GET_HOST Introduced in 7.1
- CURLE_FTP_CANT_RECONNECT Introduced in 7.1 Deprecated since 7.17.0
- CURLE_FTP_COULDNT_GET_SIZE
 Introduced in 7.1 Deprecated since 7.17.0
- CURLE_FTP_COULDNT_RETR_FILE Introduced in 7.1
- CURLE_FTP_COULDNT_SET_ASCII Introduced in 7.1 Deprecated since 7.17.0
- CURLE_FTP_COULDNT_SET_BINARY
 Introduced in 7.1 Deprecated since 7.17.0
- CURLE_FTP_COULDNT_SET_TYPE Introduced in 7.17.0
- CURLE_FTP_COULDNT_STOR_FILE Introduced in 7.1
- CURLE_FTP_COULDNT_USE_REST Introduced in 7.1
- CURLE_FTP_PARTIAL_FILE
 Introduced in 7.1 Deprecated since 7.1
- CURLE_FTP_PORT_FAILED Introduced in 7.1
- CURLE_FTP_PRET_FAILED Introduced in 7.20.0
- CURLE_FTP_QUOTE_ERROR
 Introduced in 7.1 Deprecated since 7.17.0
- CURLE_FTP_SSL_FAILED
 Introduced in 7.11.0 Deprecated since 7.17.0
- CURLE_FTP_USER_PASSWORD_INCORRECT Introduced in 7.1 Deprecated since 7.17.0
- CURLE_FTP_WEIRD_227_FORMAT Introduced in 7.1
- CURLE_FTP_WEIRD_PASS_REPLY Introduced in 7.1
- CURLE_FTP_WEIRD_PASV_REPLY Introduced in 7.1
- CURLE_FTP_WEIRD_SERVER_REPLY Introduced in 7.1
- CURLE_FTP_WEIRD_USER_REPLY
 Introduced in 7.1 Deprecated since 7.17.0
- CURLE_FTP_WRITE_ERROR
 Introduced in 7.1 Deprecated since 7.17.0

CURLE_FUNCTION_NOT_FOUND

Introduced in 7.1

CURLE_GOT_NOTHING

Introduced in 7.9.1

CURLE HTTP2

Introduced in 7.38.0

CURLE_HTTP_NOT_FOUND

Introduced in 7.1

CURLE HTTP PORT FAILED

Introduced in 7.3 Deprecated since 7.12.0

CURLE_HTTP_POST_ERROR

Introduced in 7.1

CURLE_HTTP_RANGE_ERROR

Introduced in 7.1 Deprecated since 7.17.0

CURLE_HTTP_RETURNED_ERROR

Introduced in 7.10.3

CURLE_INTERFACE_FAILED

Introduced in 7.12.0

CURLE_LDAP_CANNOT_BIND

Introduced in 7.1

CURLE_LDAP_INVALID_URL

Introduced in 7.10.8

CURLE_LDAP_SEARCH_FAILED

Introduced in 7.1

CURLE_LIBRARY_NOT_FOUND

Introduced in 7.1 Deprecated since 7.17.0

CURLE_LOGIN_DENIED

Introduced in 7.13.1

CURLE_MALFORMAT_USER

Introduced in 7.1 Deprecated since 7.17.0

CURLE_NOT_BUILT_IN

Introduced in 7.21.5

CURLE_NO_CONNECTION_AVAILABLE

Introduced in 7.30.0

CURLE OK

Introduced in 7.1

CURLE_OPERATION_TIMEDOUT

Introduced in 7.10.2

CURLE_OPERATION_TIMEOUTED

Introduced in 7.1 Deprecated since 7.17.0

CURLE_OUT_OF_MEMORY

Introduced in 7.1

CURLE PARTIAL FILE

Introduced in 7.1

CURLE_PEER_FAILED_VERIFICATION

Introduced in 7.17.1

CURLE QUOTE ERROR

Introduced in 7.17.0

CURLE_RANGE_ERROR

Introduced in 7.17.0

CURLE_READ_ERROR

Introduced in 7.1

CURLE RECV ERROR

Introduced in 7.10

CURLE_REMOTE_ACCESS_DENIED

Introduced in 7.17.0

CURLE_REMOTE_DISK_FULL

Introduced in 7.17.0

CURLE REMOTE FILE EXISTS

Introduced in 7.17.0

CURLE_REMOTE_FILE_NOT_FOUND

Introduced in 7.16.1

CURLE_RTSP_CSEQ_ERROR

Introduced in 7.20.0

CURLE_RTSP_SESSION_ERROR

Introduced in 7.20.0

CURLE_SEND_ERROR

Introduced in 7.10

CURLE SEND FAIL REWIND

Introduced in 7.12.3

CURLE_SHARE_IN_USE

Introduced in 7.9.6 Deprecated since 7.17.0

CURLE_SSH

Introduced in 7.16.1

CURLE_SSL_CACERT

Introduced in 7.10

CURLE_SSL_CACERT_BADFILE

Introduced in 7.16.0

CURLE_SSL_CERTPROBLEM

Introduced in 7.10

CURLE_SSL_CIPHER

Introduced in 7.10

CURLE_SSL_CONNECT_ERROR

Introduced in 7.1

CURLE_SSL_CRL_BADFILE

Introduced in 7.19.0

CURLE SSL ENGINE INITFAILED

Introduced in 7.12.3

- CURLE_SSL_ENGINE_NOTFOUND Introduced in 7.9.3
- CURLE_SSL_ENGINE_SETFAILED Introduced in 7.9.3
- CURLE_SSL_INVALIDCERTSTATUS Introduced in 7.41.0
- CURLE_SSL_ISSUER_ERROR Introduced in 7.19.0
- CURLE_SSL_PEER_CERTIFICATE
 Introduced in 7.8 Deprecated since 7.17.1
- CURLE_SSL_PINNEDPUBKEYNOTMATCH Introduced in 7.39.0
- CURLE_SSL_SHUTDOWN_FAILED Introduced in 7.16.1
- CURLE_TELNET_OPTION_SYNTAX Introduced in 7.7
- CURLE_TFTP_DISKFULL
 Introduced in 7.15.0 Deprecated since 7.17.0
- CURLE_TFTP_EXISTS
 Introduced in 7.15.0 Deprecated since 7.17.0
- CURLE_TFTP_ILLEGAL Introduced in 7.15.0
- CURLE_TFTP_NOSUCHUSER Introduced in 7.15.0
- CURLE_TFTP_NOTFOUND Introduced in 7.15.0
- CURLE_TFTP_PERM Introduced in 7.15.0
- CURLE_TFTP_UNKNOWNID Introduced in 7.15.0
- CURLE_TOO_MANY_REDIRECTS Introduced in 7.5
- CURLE_UNKNOWN_OPTION Introduced in 7.21.5
- CURLE_UNKNOWN_TELNET_OPTION Introduced in 7.7
- CURLE_UNSUPPORTED_PROTOCOL Introduced in 7.1
- CURLE_UPLOAD_FAILED Introduced in 7.16.3
- CURLE_URL_MALFORMAT Introduced in 7.1
- CURLE_URL_MALFORMAT_USER
 Introduced in 7.1 Deprecated since 7.17.0

CURLE_USE_SSL_FAILED Introduced in 7.17.0

CURLE WRITE ERROR Introduced in 7.1

CURLFILETYPE_DEVICE_BLOCK

Introduced in 7.21.0

CURLFILETYPE_DEVICE_CHAR

Introduced in 7.21.0

CURLFILETYPE DIRECTORY

Introduced in 7.21.0

CURLFILETYPE DOOR

Introduced in 7.21.0

CURLFILETYPE_FILE

Introduced in 7.21.0

CURLFILETYPE NAMEDPIPE

Introduced in 7.21.0

CURLFILETYPE_SOCKET

Introduced in 7.21.0

CURLFILETYPE_SYMLINK

Introduced in 7.21.0

CURLFILETYPE_UNKNOWN

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_FILENAME

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_FILETYPE

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_GID

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_HLINKCOUNT

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_PERM

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_SIZE

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_TIME

Introduced in 7.21.0

CURLFINFOFLAG_KNOWN_UID

Introduced in 7.21.0

CURLFORM_ARRAY

Introduced in 7.9.1

CURLFORM_ARRAY_END

Introduced in 7.9.1 Deprecated since 7.9.5 Last used in 7.9.5

CURLFORM ARRAY START

Introduced in 7.9.1 Deprecated since 7.9.5 Last used in 7.9.5

CURLFORM_BUFFER

Introduced in 7.9.8

CURLFORM_BUFFERLENGTH

Introduced in 7.9.8

CURLFORM_BUFFERPTR

Introduced in 7.9.8

CURLFORM_CONTENTHEADER

Introduced in 7.9.3

CURLFORM CONTENTSLENGTH

Introduced in 7.9

CURLFORM_CONTENTTYPE

Introduced in 7.9

CURLFORM_COPYCONTENTS

Introduced in 7.9

CURLFORM COPYNAME

Introduced in 7.9

CURLFORM_END

Introduced in 7.9

CURLFORM_FILE

Introduced in 7.9

CURLFORM_FILECONTENT

Introduced in 7.9.1

CURLFORM_FILENAME

Introduced in 7.9.6

CURLFORM_NAMELENGTH

Introduced in 7.9

CURLFORM NOTHING

Introduced in 7.9

CURLFORM_PTRCONTENTS

Introduced in 7.9

CURLFORM_PTRNAME

Introduced in 7.9

CURLFORM_STREAM

Introduced in 7.18.2

CURLFTPAUTH_DEFAULT

Introduced in 7.12.2

CURLFTPAUTH_SSL

Introduced in 7.12.2

CURLFTPAUTH_TLS

Introduced in 7.12.2

CURLFTPMETHOD_DEFAULT

Introduced in 7.15.3

CURLFTPMETHOD MULTICWD

Introduced in 7.15.3

CURLFTPMETHOD_NOCWD

Introduced in 7.15.3

CURLFTPMETHOD SINGLECWD

Introduced in 7.15.3

CURLFTPSSL ALL

Introduced in 7.11.0 Deprecated since 7.17.0

CURLFTPSSL_CCC_ACTIVE

Introduced in 7.16.2

CURLFTPSSL CCC NONE

Introduced in 7.16.2

CURLFTPSSL_CCC_PASSIVE

Introduced in 7.16.1

CURLFTPSSL_CONTROL

Introduced in 7.11.0 Deprecated since 7.17.0

CURLFTPSSL NONE

Introduced in 7.11.0 Deprecated since 7.17.0

CURLFTPSSL_TRY

Introduced in 7.11.0 Deprecated since 7.17.0

CURLFTP_CREATE_DIR

Introduced in 7.19.4

CURLFTP_CREATE_DIR_NONE

Introduced in 7.19.4

CURLFTP_CREATE_DIR_RETRY

Introduced in 7.19.4

CURLGSSAPI_DELEGATION_FLAG

Introduced in 7.22.0

CURLGSSAPI_DELEGATION_NONE

Introduced in 7.22.0

CURLGSSAPI_DELEGATION_POLICY_FLAG

Introduced in 7.22.0

CURLHEADER_SEPARATE

Introduced in 7.37.0

CURLHEADER_UNIFIED

Introduced in 7.37.0

CURLINFO_APPCONNECT_TIME

Introduced in 7.19.0

CURLINFO_CERTINFO

Introduced in 7.19.1

CURLINFO_CONDITION_UNMET

Introduced in 7.19.4

CURLINFO_CONNECT_TIME

Introduced in 7.4.1

CURLINFO_CONTENT_LENGTH_DOWNLOAD

Introduced in 7.6.1

$CURLINFO_CONTENT_LENGTH_UPLOAD$

Introduced in 7.6.1

CURLINFO_CONTENT_TYPE

Introduced in 7.9.4

CURLINFO_COOKIELIST

Introduced in 7.14.1

CURLINFO_DATA_IN

Introduced in 7.9.6

CURLINFO DATA OUT

Introduced in 7.9.6

CURLINFO_DOUBLE

Introduced in 7.4.1

CURLINFO_EFFECTIVE_URL

Introduced in 7.4

CURLINFO END

Introduced in 7.9.6

CURLINFO_FILETIME

Introduced in 7.5

CURLINFO_FTP_ENTRY_PATH

Introduced in 7.15.4

CURLINFO_HEADER_IN

Introduced in 7.9.6

CURLINFO_HEADER_OUT

Introduced in 7.9.6

CURLINFO_HEADER_SIZE

Introduced in 7.4.1

CURLINFO_HTTPAUTH_AVAIL

Introduced in 7.10.8

CURLINFO_HTTP_CODE

Introduced in 7.4.1 Deprecated since 7.10.8

CURLINFO_HTTP_CONNECTCODE

Introduced in 7.10.7

CURLINFO_LASTONE

Introduced in 7.4.1

CURLINFO_LASTSOCKET

Introduced in 7.15.2

CURLINFO_LOCAL_IP

Introduced in 7.21.0

CURLINFO_LOCAL_PORT

Introduced in 7.21.0

CURLINFO_LONG

Introduced in 7.4.1

CURLINFO_MASK

Introduced in 7.4.1

CURLINFO_NAMELOOKUP_TIME Introduced in 7.4.1

CURLINFO_NONE Introduced in 7.4.1

CURLINFO_NUM_CONNECTS Introduced in 7.12.3

CURLINFO_OS_ERRNO Introduced in 7.12.2

CURLINFO_PRETRANSFER_TIME Introduced in 7.4.1

CURLINFO_PRIMARY_IP Introduced in 7.19.0

CURLINFO_PRIMARY_PORT Introduced in 7.21.0

CURLINFO_PRIVATE Introduced in 7.10.3

CURLINFO_PROXYAUTH_AVAIL Introduced in 7.10.8

CURLINFO_REDIRECT_COUNT Introduced in 7.9.7

CURLINFO_REDIRECT_TIME Introduced in 7.9.7

CURLINFO_REDIRECT_URL Introduced in 7.18.2

CURLINFO_REQUEST_SIZE Introduced in 7.4.1

CURLINFO_RESPONSE_CODE Introduced in 7.10.8

CURLINFO_RTSP_CLIENT_CSEQ Introduced in 7.20.0

CURLINFO_RTSP_CSEQ_RECV Introduced in 7.20.0

CURLINFO_RTSP_SERVER_CSEQ Introduced in 7.20.0

CURLINFO_RTSP_SESSION_ID Introduced in 7.20.0

CURLINFO_SIZE_DOWNLOAD Introduced in 7.4.1

CURLINFO_SIZE_UPLOAD Introduced in 7.4.1

CURLINFO_SLIST Introduced in 7.12.3

CURLINFO_SPEED_DOWNLOAD Introduced in 7.4.1

CURLINFO_SPEED_UPLOAD

Introduced in 7.4.1

CURLINFO_SSL_DATA_IN

Introduced in 7.12.1

CURLINFO_SSL_DATA_OUT

Introduced in 7.12.1

CURLINFO_SSL_ENGINES

Introduced in 7.12.3

CURLINFO_SSL_VERIFYRESULT

Introduced in 7.5

CURLINFO_STARTTRANSFER_TIME

Introduced in 7.9.2

CURLINFO_STRING

Introduced in 7.4.1

CURLINFO_TEXT

Introduced in 7.9.6

CURLINFO_TLS_SESSION

Introduced in 7.34.0

CURLINFO_TOTAL_TIME

Introduced in 7.4.1

CURLINFO_TYPEMASK

Introduced in 7.4.1

CURLIOCMD_NOP

Introduced in 7.12.3

CURLIOCMD_RESTARTREAD

Introduced in 7.12.3

CURLIOE FAILRESTART

Introduced in 7.12.3

CURLIOE_OK

Introduced in 7.12.3

CURLIOE_UNKNOWNCMD

Introduced in 7.12.3

CURLKHMATCH_MISMATCH

Introduced in 7.19.6

CURLKHMATCH MISSING

Introduced in 7.19.6

CURLKHMATCH_OK

Introduced in 7.19.6

CURLKHSTAT_DEFER

Introduced in 7.19.6

CURLKHSTAT_FINE

Introduced in 7.19.6

CURLKHSTAT_FINE_ADD_TO_FILE

Introduced in 7.19.6

CURLKHSTAT_REJECT

Introduced in 7.19.6

CURLKHTYPE DSS

Introduced in 7.19.6

CURLKHTYPE_RSA

Introduced in 7.19.6

CURLKHTYPE_RSA1

Introduced in 7.19.6

CURLKHTYPE UNKNOWN

Introduced in 7.19.6

$CURLMOPT_CHUNK_LENGTH_PENALTY_SIZE$

Introduced in 7.30.0

CURLMOPT_CONTENT_LENGTH_PENALTY_SIZE

Introduced in 7.30.0

CURLMOPT MAXCONNECTS

Introduced in 7.16.3

CURLMOPT_MAX_HOST_CONNECTIONS

Introduced in 7.30.0

CURLMOPT_MAX_PIPELINE_LENGTH

Introduced in 7.30.0

CURLMOPT_MAX_TOTAL_CONNECTIONS

Introduced in 7.30.0

CURLMOPT_PIPELINING

Introduced in 7.16.0

CURLMOPT_PIPELINING_SERVER_BL

Introduced in 7.30.0

CURLMOPT_PIPELINING_SITE_BL

Introduced in 7.30.0

CURLMOPT_PUSHDATA

Introduced in 7.44.0

CURLMOPT_PUSHFUNCTION

Introduced in 7.44.0

CURLMOPT_SOCKETDATA

Introduced in 7.15.4

CURLMOPT_SOCKETFUNCTION

Introduced in 7.15.4

CURLMOPT_TIMERDATA

Introduced in 7.16.0

CURLMOPT_TIMERFUNCTION

Introduced in 7.16.0

CURLMSG_DONE

Introduced in 7.9.6

CURLMSG_NONE

Introduced in 7.9.6

CURLM_ADDED_ALREADY Introduced in 7.32.1

CURLM_BAD_EASY_HANDLE Introduced in 7.9.6

CURLM_BAD_HANDLE Introduced in 7.9.6

CURLM_BAD_SOCKET Introduced in 7.15.4

CURLM_CALL_MULTI_PERFORM Introduced in 7.9.6

CURLM_CALL_MULTI_SOCKET Introduced in 7.15.5

CURLM_INTERNAL_ERROR Introduced in 7.9.6

CURLM_OK

Introduced in 7.9.6

CURLM_OUT_OF_MEMORY Introduced in 7.9.6

CURLM_UNKNOWN_OPTION Introduced in 7.15.4

CURLOPTTYPE_FUNCTIONPOINT Introduced in 7.1

CURLOPTTYPE_LONG Introduced in 7.1

CURLOPTTYPE_OBJECTPOINT Introduced in 7.1

CURLOPTTYPE_OFF_T Introduced in 7.11.0

CURLOPT_ACCEPTTIMEOUT_MS Introduced in 7.24.0

CURLOPT_ACCEPT_ENCODING Introduced in 7.21.6

CURLOPT_ADDRESS_SCOPE Introduced in 7.19.0

CURLOPT_APPEND Introduced in 7.17.0

CURLOPT_AUTOREFERER Introduced in 7.1

CURLOPT_BUFFERSIZE Introduced in 7.10

CURLOPT_CAINFO Introduced in 7.4.2

CURLOPT_CAPATH Introduced in 7.9.8

CURLOPT_CERTINFO

Introduced in 7.19.1

CURLOPT_CHUNK_BGN_FUNCTION

Introduced in 7.21.0

CURLOPT_CHUNK_DATA

Introduced in 7.21.0

CURLOPT_CHUNK_END_FUNCTION

Introduced in 7.21.0

CURLOPT CLOSEFUNCTION

Introduced in 7.7 Deprecated since 7.11.1 Last used in 7.11.1

CURLOPT_CLOSEPOLICY

Introduced in 7.7 Deprecated since 7.16.1

CURLOPT_CLOSESOCKETDATA

Introduced in 7.21.7

CURLOPT CLOSESOCKETFUNCTION

Introduced in 7.21.7

CURLOPT_CONNECTTIMEOUT

Introduced in 7.7

CURLOPT_CONNECTTIMEOUT_MS

Introduced in 7.16.2

CURLOPT_CONNECT_ONLY

Introduced in 7.15.2

CURLOPT_CONV_FROM_NETWORK_FUNCTION

Introduced in 7.15.4

CURLOPT_CONV_FROM_UTF8_FUNCTION

Introduced in 7.15.4

CURLOPT_CONV_TO_NETWORK_FUNCTION

Introduced in 7.15.4

CURLOPT_COOKIE

Introduced in 7.1

CURLOPT_COOKIEFILE

Introduced in 7.1

CURLOPT_COOKIEJAR

Introduced in 7.9

CURLOPT_COOKIELIST

Introduced in 7.14.1

CURLOPT_COOKIESESSION

Introduced in 7.9.7

CURLOPT_COPYPOSTFIELDS

Introduced in 7.17.1

CURLOPT_CRLF

Introduced in 7.1

CURLOPT_CRLFILE

Introduced in 7.19.0

CURLOPT_CUSTOMREQUEST

Introduced in 7.1

CURLOPT DEBUGDATA

Introduced in 7.9.6

CURLOPT DEBUGFUNCTION

Introduced in 7.9.6

CURLOPT_DIRLISTONLY

Introduced in 7.17.0

CURLOPT DNS CACHE TIMEOUT

Introduced in 7.9.3

CURLOPT_DNS_INTERFACE

Introduced in 7.33.0

CURLOPT_DNS_LOCAL_IP4

Introduced in 7.33.0

CURLOPT_DNS_LOCAL_IP6

Introduced in 7.33.0

CURLOPT_DNS_SERVERS

Introduced in 7.24.0

CURLOPT_DNS_USE_GLOBAL_CACHE

Introduced in 7.9.3 Deprecated since 7.11.1

CURLOPT_EGDSOCKET

Introduced in 7.7

CURLOPT_ENCODING

Introduced in 7.10

CURLOPT ERRORBUFFER

Introduced in 7.1

CURLOPT_EXPECT_100_TIMEOUT_MS

Introduced in 7.36.0

CURLOPT_FAILONERROR

Introduced in 7.1

CURLOPT_FILE

Introduced in 7.1 Deprecated since 7.9.7

CURLOPT_FILETIME

Introduced in 7.5

CURLOPT_FNMATCH_DATA

Introduced in 7.21.0

CURLOPT_FNMATCH_FUNCTION

Introduced in 7.21.0

CURLOPT_FOLLOWLOCATION

Introduced in 7.1

CURLOPT_FORBID_REUSE

Introduced in 7.7

CURLOPT FRESH CONNECT

Introduced in 7.7

CURLOPT_FTPAPPEND

Introduced in 7.1 Deprecated since 7.16.4

CURLOPT_FTPASCII

Introduced in 7.1 Deprecated since 7.11.1 Last used in 7.11.1

CURLOPT_FTPLISTONLY

Introduced in 7.1 Deprecated since 7.16.4

CURLOPT_FTPPORT

Introduced in 7.1

CURLOPT FTPSSLAUTH

Introduced in 7.12.2

CURLOPT_FTP_ACCOUNT

Introduced in 7.13.0

CURLOPT_FTP_ALTERNATIVE_TO_USER

Introduced in 7.15.5

CURLOPT_FTP_CREATE_MISSING_DIRS

Introduced in 7.10.7

CURLOPT_FTP_FILEMETHOD

Introduced in 7.15.1

CURLOPT_FTP_RESPONSE_TIMEOUT

Introduced in 7.10.8

CURLOPT_FTP_SKIP_PASV_IP

Introduced in 7.15.0

CURLOPT_FTP_SSL

Introduced in 7.11.0 Deprecated since 7.16.4

CURLOPT_FTP_SSL_CCC

Introduced in 7.16.1

CURLOPT_FTP_USE_EPRT

Introduced in 7.10.5

CURLOPT_FTP_USE_EPSV

Introduced in 7.9.2

CURLOPT_FTP_USE_PRET

Introduced in 7.20.0

CURLOPT_GSSAPI_DELEGATION

Introduced in 7.22.0

CURLOPT HEADER

Introduced in 7.1

CURLOPT_HEADERDATA

Introduced in 7.10

CURLOPT_HEADERFUNCTION

Introduced in 7.7.2

CURLOPT_HEADEROPT

Introduced in 7.37.0

CURLOPT HTTP200ALIASES

Introduced in 7.10.3

CURLOPT_HTTPAUTH

Introduced in 7.10.6

CURLOPT HTTPGET

Introduced in 7.8.1

CURLOPT HTTPHEADER

Introduced in 7.1

CURLOPT_HTTPPOST

Introduced in 7.1

CURLOPT HTTPPROXYTUNNEL

Introduced in 7.3

CURLOPT_HTTPREQUEST

Introduced in 7.1

CURLOPT_HTTP_CONTENT_DECODING

Introduced in 7.16.2

CURLOPT_HTTP_TRANSFER_DECODING

Introduced in 7.16.2

CURLOPT_HTTP_VERSION

Introduced in 7.9.1

CURLOPT_IGNORE_CONTENT_LENGTH

Introduced in 7.14.1

CURLOPT_INFILE

Introduced in 7.1 Deprecated since 7.9.7

CURLOPT_INFILESIZE

Introduced in 7.1

CURLOPT INFILESIZE LARGE

Introduced in 7.11.0

CURLOPT_INTERFACE

Introduced in 7.3

CURLOPT_INTERLEAVEDATA

Introduced in 7.20.0

CURLOPT_INTERLEAVEFUNCTION

Introduced in 7.20.0

CURLOPT_IOCTLDATA

Introduced in 7.12.3

CURLOPT IOCTLFUNCTION

Introduced in 7.12.3

CURLOPT_IPRESOLVE

Introduced in 7.10.8

CURLOPT_ISSUERCERT

Introduced in 7.19.0

CURLOPT_KEYPASSWD

Introduced in 7.17.0

CURLOPT KRB4LEVEL

Introduced in 7.3 Deprecated since 7.17.0

CURLOPT_KRBLEVEL

Introduced in 7.16.4

CURLOPT LOCALPORT

Introduced in 7.15.2

CURLOPT LOCALPORTRANGE

Introduced in 7.15.2

CURLOPT_LOGIN_OPTIONS

Introduced in 7.34.0

CURLOPT LOW SPEED LIMIT

Introduced in 7.1

CURLOPT_LOW_SPEED_TIME

Introduced in 7.1

CURLOPT_MAIL_AUTH

Introduced in 7.25.0

CURLOPT MAIL FROM

Introduced in 7.20.0

CURLOPT_MAIL_RCPT

Introduced in 7.20.0

CURLOPT_MAXCONNECTS

Introduced in 7.7

CURLOPT_MAXFILESIZE

Introduced in 7.10.8

CURLOPT_MAXFILESIZE_LARGE

Introduced in 7.11.0

CURLOPT_MAXREDIRS

Introduced in 7.5

CURLOPT_MAX_RECV_SPEED_LARGE

Introduced in 7.15.5

CURLOPT_MAX_SEND_SPEED_LARGE

Introduced in 7.15.5

CURLOPT_MUTE

Introduced in 7.1 Deprecated since 7.8 Last used in 7.8

CURLOPT_NETRC

Introduced in 7.1

CURLOPT_NETRC_FILE

Introduced in 7.11.0

CURLOPT_NEW_DIRECTORY_PERMS

Introduced in 7.16.4

CURLOPT_NEW_FILE_PERMS

Introduced in 7.16.4

CURLOPT_NOBODY

Introduced in 7.1

CURLOPT NOPROGRESS

Introduced in 7.1

CURLOPT_NOPROXY

Introduced in 7.19.4

CURLOPT NOSIGNAL

Introduced in 7.10

CURLOPT_NOTHING

Introduced in 7.1.1 Deprecated since 7.11.1 Last used in 7.11.1

CURLOPT_OPENSOCKETDATA

Introduced in 7.17.1

CURLOPT OPENSOCKETFUNCTION

Introduced in 7.17.1

CURLOPT_PASSWDDATA

Introduced in 7.4.2 Deprecated since 7.11.1 Last used in 7.11.1

CURLOPT_PASSWDFUNCTION

Introduced in 7.4.2 Deprecated since 7.11.1 Last used in 7.11.1

CURLOPT PASSWORD

Introduced in 7.19.1

CURLOPT_PASV_HOST

Introduced in 7.12.1 Deprecated since 7.16.0 Last used in 7.16.0

CURLOPT_PATH_AS_IS

Introduced in 7.42.0

CURLOPT_PINNEDPUBLICKEY

Introduced in 7.39.0

CURLOPT_PIPEWAIT

Introduced in 7.43.0

CURLOPT PORT

Introduced in 7.1

CURLOPT POST

Introduced in 7.1

CURLOPT_POST301

Introduced in 7.17.1 Deprecated since 7.19.1

CURLOPT_POSTFIELDS

Introduced in 7.1

CURLOPT_POSTFIELDSIZE

Introduced in 7.2

CURLOPT_POSTFIELDSIZE_LARGE

Introduced in 7.11.1

CURLOPT_POSTQUOTE

Introduced in 7.1

CURLOPT_POSTREDIR

Introduced in 7.19.1

CURLOPT_PREQUOTE

Introduced in 7.9.5

CURLOPT_PRIVATE

Introduced in 7.10.3

CURLOPT_PROGRESSDATA

Introduced in 7.1

CURLOPT PROGRESSFUNCTION

Introduced in 7.1 Deprecated since 7.32.0

CURLOPT PROTOCOLS

Introduced in 7.19.4

CURLOPT_PROXY

Introduced in 7.1

CURLOPT PROXYAUTH

Introduced in 7.10.7

CURLOPT_PROXYHEADER

Introduced in 7.37.0

CURLOPT_PROXYPASSWORD

Introduced in 7.19.1

CURLOPT_PROXYPORT

Introduced in 7.1

CURLOPT_PROXYTYPE

Introduced in 7.10

CURLOPT_PROXYUSERNAME

Introduced in 7.19.1

CURLOPT_PROXYUSERPWD

Introduced in 7.1

CURLOPT_PROXY_SERVICE_NAME

Introduced in 7.43.0

CURLOPT_PROXY_TRANSFER_MODE

Introduced in 7.18.0

CURLOPT PUT

Introduced in 7.1

CURLOPT_QUOTE

Introduced in 7.1

CURLOPT_RANDOM_FILE

Introduced in 7.7

CURLOPT_RANGE

Introduced in 7.1

CURLOPT READDATA

Introduced in 7.9.7

CURLOPT_READFUNCTION

Introduced in 7.1

CURLOPT_REDIR_PROTOCOLS

Introduced in 7.19.4

CURLOPT_REFERER

Introduced in 7.1

$CURLOPT_RESOLVE$

Introduced in 7.21.3

$CURLOPT_RESUME_FROM$

Introduced in 7.1

CURLOPT_RESUME_FROM_LARGE

Introduced in 7.11.0

CURLOPT RTSPHEADER

Introduced in 7.20.0

CURLOPT_RTSP_CLIENT_CSEQ

Introduced in 7.20.0

CURLOPT RTSP REQUEST

Introduced in 7.20.0

CURLOPT_RTSP_SERVER_CSEQ

Introduced in 7.20.0

CURLOPT_RTSP_SESSION_ID

Introduced in 7.20.0

CURLOPT_RTSP_STREAM_URI

Introduced in 7.20.0

CURLOPT_RTSP_TRANSPORT

Introduced in 7.20.0

CURLOPT_SASL_IR

Introduced in 7.31.0

CURLOPT_SEEKDATA

Introduced in 7.18.0

CURLOPT_SEEKFUNCTION

Introduced in 7.18.0

CURLOPT_SERVER_RESPONSE_TIMEOUT

Introduced in 7.20.0

CURLOPT_SERVICE_NAME

Introduced in 7.43.0

CURLOPT_SHARE

Introduced in 7.10

CURLOPT_SOCKOPTDATA

Introduced in 7.16.0

CURLOPT_SOCKOPTFUNCTION

Introduced in 7.16.0

CURLOPT_SOCKS5_GSSAPI_NEC

Introduced in 7.19.4

CURLOPT_SOCKS5_GSSAPI_SERVICE

Introduced in 7.19.4

CURLOPT_SOURCE_HOST

Introduced in 7.12.1

CURLOPT_SOURCE_PATH

Introduced in 7.12.1

CURLOPT_SOURCE_PORT

Introduced in 7.12.1

CURLOPT_SOURCE_POSTQUOTE

Introduced in 7.12.1

CURLOPT_SOURCE_PREQUOTE

Introduced in 7.12.1

CURLOPT_SOURCE_QUOTE

Introduced in 7.13.0

CURLOPT_SOURCE_URL

Introduced in 7.13.0

CURLOPT SOURCE USERPWD

Introduced in 7.12.1

CURLOPT_SSH_AUTH_TYPES

Introduced in 7.16.1

CURLOPT_SSH_HOST_PUBLIC_KEY_MD5

Introduced in 7.17.1

CURLOPT_SSH_KEYDATA

Introduced in 7.19.6

CURLOPT_SSH_KEYFUNCTION

Introduced in 7.19.6

CURLOPT_SSH_KNOWNHOSTS

Introduced in 7.19.6

CURLOPT_SSH_PRIVATE_KEYFILE

Introduced in 7.16.1

CURLOPT_SSH_PUBLIC_KEYFILE

Introduced in 7.16.1

CURLOPT_SSLCERT

Introduced in 7.1

CURLOPT SSLCERTPASSWD

Introduced in 7.1.1 Deprecated since 7.17.0

CURLOPT_SSLCERTTYPE

Introduced in 7.9.3

CURLOPT_SSLENGINE

Introduced in 7.9.3

CURLOPT_SSLENGINE_DEFAULT

Introduced in 7.9.3

CURLOPT_SSLKEY

Introduced in 7.9.3

CURLOPT_SSLKEYPASSWD

Introduced in 7.9.3 Deprecated since 7.17.0

CURLOPT_SSLKEYTYPE

Introduced in 7.9.3

CURLOPT_SSLVERSION

Introduced in 7.1

CURLOPT_SSL_CIPHER_LIST

Introduced in 7.9

- CURLOPT_SSL_CTX_DATA Introduced in 7.10.6
- CURLOPT_SSL_CTX_FUNCTION Introduced in 7.10.6
- CURLOPT_SSL_ENABLE_ALPN Introduced in 7.36.0
- CURLOPT_SSL_ENABLE_NPN Introduced in 7.36.0
- CURLOPT_SSL_FALSESTART Introduced in 7.42.0
- CURLOPT_SSL_OPTIONS Introduced in 7.25.0
- CURLOPT_SSL_SESSIONID_CACHE Introduced in 7.16.0
- CURLOPT_SSL_VERIFYHOST Introduced in 7.8.1
- CURLOPT_SSL_VERIFYPEER Introduced in 7.4.2
- CURLOPT_SSL_VERIFYSTATUS Introduced in 7.41.0
- CURLOPT_STDERR Introduced in 7.1
- CURLOPT_TCP_KEEPALIVE Introduced in 7.25.0
- CURLOPT_TCP_KEEPIDLE Introduced in 7.25.0
- CURLOPT_TCP_KEEPINTVL Introduced in 7.25.0
- CURLOPT_TCP_NODELAY Introduced in 7.11.2
- CURLOPT_TELNETOPTIONS Introduced in 7.7
- CURLOPT_TFTP_BLKSIZE Introduced in 7.19.4
- CURLOPT_TIMECONDITION Introduced in 7.1
- CURLOPT_TIMEOUT Introduced in 7.1
- CURLOPT_TIMEOUT_MS Introduced in 7.16.2
- CURLOPT_TIMEVALUE Introduced in 7.1
- CURLOPT_TLSAUTH_PASSWORD Introduced in 7.21.4

$CURLOPT_TLSAUTH_TYPE$

Introduced in 7.21.4

$CURLOPT_TLSAUTH_USERNAME$

Introduced in 7.21.4

CURLOPT_TRANSFERTEXT

Introduced in 7.1.1

CURLOPT_TRANSFER_ENCODING

Introduced in 7.21.6

CURLOPT_UNIX_SOCKET_PATH

Introduced in 7.40.0

CURLOPT_UNRESTRICTED_AUTH

Introduced in 7.10.4

CURLOPT_UPLOAD

Introduced in 7.1

CURLOPT_URL

Introduced in 7.1

CURLOPT_USERAGENT

Introduced in 7.1

CURLOPT_USERNAME

Introduced in 7.19.1

CURLOPT_USERPWD

Introduced in 7.1

CURLOPT_USE_SSL

Introduced in 7.17.0

CURLOPT_VERBOSE

Introduced in 7.1

$CURLOPT_WILDCARDMATCH$

Introduced in 7.21.0

CURLOPT_WRITEDATA

Introduced in 7.9.7

CURLOPT_WRITEFUNCTION

Introduced in 7.1

CURLOPT_WRITEHEADER

Introduced in 7.1

CURLOPT_WRITEINFO

Introduced in 7.1

CURLOPT_XFERINFODATA

Introduced in 7.32.0

CURLOPT_XFERINFOFUNCTION

Introduced in 7.32.0

CURLOPT_XOAUTH2_BEARER

Introduced in 7.33.0

CURLPAUSE_ALL

Introduced in 7.18.0

CURLPAUSE_CONT Introduced in 7.18.0

CURLPAUSE_RECV Introduced in 7.18.0

CURLPAUSE_RECV_CONT Introduced in 7.18.0

CURLPAUSE_SEND Introduced in 7.18.0

CURLPAUSE_SEND_CONT Introduced in 7.18.0

CURLPIPE_HTTP1 Introduced in 7.43.0

CURLPIPE_MULTIPLEX Introduced in 7.43.0

CURLPIPE_NOTHING Introduced in 7.43.0

CURLPROTO_ALL Introduced in 7.19.4

CURLPROTO_DICT Introduced in 7.19.4

CURLPROTO_FILE Introduced in 7.19.4

CURLPROTO_FTP
Introduced in 7.19.4

CURLPROTO_FTPS Introduced in 7.19.4

CURLPROTO_GOPHER Introduced in 7.21.2

CURLPROTO_HTTP
Introduced in 7.19.4

CURLPROTO_HTTPS Introduced in 7.19.4

CURLPROTO_IMAP Introduced in 7.20.0

CURLPROTO_IMAPS Introduced in 7.20.0

CURLPROTO_LDAP Introduced in 7.19.4

CURLPROTO_LDAPS Introduced in 7.19.4

CURLPROTO_POP3 Introduced in 7.20.0

CURLPROTO_POP3S Introduced in 7.20.0

CURLPROTO_RTMP

Introduced in 7.21.0

CURLPROTO_RTMPE

Introduced in 7.21.0

CURLPROTO_RTMPS

Introduced in 7.21.0

CURLPROTO_RTMPT

Introduced in 7.21.0

CURLPROTO RTMPTE

Introduced in 7.21.0

CURLPROTO_RTMPTS

Introduced in 7.21.0

CURLPROTO_RTSP

Introduced in 7.20.0

CURLPROTO SCP

Introduced in 7.19.4

CURLPROTO_SFTP

Introduced in 7.19.4

CURLPROTO_SMB

Introduced in 7.40.0

CURLPROTO_SMBS

Introduced in 7.40.0

CURLPROTO_SMTP

Introduced in 7.20.0

CURLPROTO_SMTPS

Introduced in 7.20.0

CURLPROTO_TELNET

Introduced in 7.19.4

CURLPROTO_TFTP

Introduced in 7.19.4

CURLPROXY_HTTP

Introduced in 7.10

$CURLPROXY_HTTP_1_0$

Introduced in 7.19.4

CURLPROXY_SOCKS4

Introduced in 7.10

CURLPROXY_SOCKS4A

Introduced in 7.18.0

CURLPROXY_SOCKS5

Introduced in 7.10

CURLPROXY_SOCKS5_HOSTNAME

Introduced in 7.18.0

CURLSHE BAD OPTION

Introduced in 7.10.3

CURLSHE_INVALID
Introduced in 7.10.3

CURLSHE_IN_USE Introduced in 7.10.3

CURLSHE_NOMEM Introduced in 7.12.0

CURLSHE_NOT_BUILT_IN Introduced in 7.23.0

CURLSHE_OK

Introduced in 7.10.3

CURLSHOPT_LOCKFUNC Introduced in 7.10.3

CURLSHOPT_NONE Introduced in 7.10.3

CURLSHOPT_SHARE Introduced in 7.10.3

CURLSHOPT_UNLOCKFUNC Introduced in 7.10.3

CURLSHOPT_UNSHARE Introduced in 7.10.3

CURLSHOPT_USERDATA Introduced in 7.10.3

CURLSOCKTYPE_ACCEPT Introduced in 7.28.0

CURLSOCKTYPE_IPCXN Introduced in 7.16.0

CURLSSH_AUTH_AGENT Introduced in 7.28.0

CURLSSH_AUTH_ANY Introduced in 7.16.1

CURLSSH_AUTH_DEFAULT Introduced in 7.16.1

CURLSSH_AUTH_HOST Introduced in 7.16.1

CURLSSH_AUTH_KEYBOARD Introduced in 7.16.1

CURLSSH_AUTH_NONE Introduced in 7.16.1

CURLSSH_AUTH_PASSWORD Introduced in 7.16.1

CURLSSH_AUTH_PUBLICKEY Introduced in 7.16.1

CURLSSLBACKEND_AXTLS Introduced in 7.38.0

CURLSSLBACKEND_CYASSL Introduced in 7.34.0

CURLSSLBACKEND_DARWINSSL Introduced in 7.34.0

CURLSSLBACKEND_GNUTLS Introduced in 7.34.0

CURLSSLBACKEND_GSKIT Introduced in 7.34.0

CURLSSLBACKEND_NONE Introduced in 7.34.0

CURLSSLBACKEND NSS

Introduced in 7.34.0

CURLSSLBACKEND_OPENSSL Introduced in 7.34.0

CURLSSLBACKEND_POLARSSL Introduced in 7.34.0

CURLSSLBACKEND_QSOSSL Introduced in 7.34.0

CURLSSLBACKEND_SCHANNEL Introduced in 7.34.0

CURLSSLOPT_ALLOW_BEAST Introduced in 7.25.0

CURLSSLOPT_NO_REVOKE Introduced in 7.44.0

CURLUSESSL_ALL Introduced in 7.17.0

CURLUSESSL_CONTROL Introduced in 7.17.0

CURLUSESSL_NONE Introduced in 7.17.0

CURLUSESSL_TRY Introduced in 7.17.0

CURLVERSION_FIRST Introduced in 7.10

CURLVERSION_FOURTH Introduced in 7.16.1

CURLVERSION_NOW Introduced in 7.10

CURLVERSION_SECOND Introduced in 7.11.1

CURLVERSION_THIRD Introduced in 7.12.0

CURL_CHUNK_BGN_FUNC_FAIL Introduced in 7.21.0

- CURL_CHUNK_BGN_FUNC_OK Introduced in 7.21.0
- CURL_CHUNK_BGN_FUNC_SKIP Introduced in 7.21.0
- CURL_CHUNK_END_FUNC_FAIL Introduced in 7.21.0
- CURL_CHUNK_END_FUNC_OK Introduced in 7.21.0
- CURL_CSELECT_ERR
 Introduced in 7.16.3
- CURL_CSELECT_IN
 Introduced in 7.16.3
- CURL_CSELECT_OUT Introduced in 7.16.3
- CURL_EASY_NONE Introduced in 7.14.0
- CURL_EASY_TIMEOUT Introduced in 7.14.0
- CURL_ERROR_SIZE
 Introduced in 7.1
- CURL_FNMATCHFUNC_FAIL Introduced in 7.21.0
- CURL_FNMATCHFUNC_MATCH Introduced in 7.21.0
- CURL_FNMATCHFUNC_NOMATCH Introduced in 7.21.0
- CURL_FORMADD_DISABLED Introduced in 7.12.1
- CURL_FORMADD_ILLEGAL_ARRAY Introduced in 7.9.8
- CURL_FORMADD_INCOMPLETE Introduced in 7.9.8
- CURL_FORMADD_MEMORY Introduced in 7.9.8
- CURL_FORMADD_NULL Introduced in 7.9.8
- CURL_FORMADD_OK Introduced in 7.9.8
- CURL_FORMADD_OPTION_TWICE Introduced in 7.9.8
- CURL_FORMADD_UNKNOWN_OPTION Introduced in 7.9.8
- CURL_GLOBAL_ACK_EINTR Introduced in 7.30.0

- CURL_GLOBAL_ALL Introduced in 7.8
- CURL_GLOBAL_DEFAULT Introduced in 7.8
- CURL_GLOBAL_NOTHING Introduced in 7.8
- CURL_GLOBAL_SSL Introduced in 7.8
- CURL_GLOBAL_WIN32 Introduced in 7.8.1
- CURL_HTTP_VERSION_1_0 Introduced in 7.9.1
- CURL_HTTP_VERSION_1_1 Introduced in 7.9.1
- CURL_HTTP_VERSION_2_0 Introduced in 7.33.0
- CURL_HTTP_VERSION_2 Introduced in 7.43.0
- CURL_HTTP_VERSION_NONE Introduced in 7.9.1
- CURL_IPRESOLVE_V4
 Introduced in 7.10.8
- CURL_IPRESOLVE_V6
 Introduced in 7.10.8
- CURL_IPRESOLVE_WHATEVER Introduced in 7.10.8
- CURL_LOCK_ACCESS_NONE Introduced in 7.10.3
- CURL_LOCK_ACCESS_SHARED Introduced in 7.10.3
- CURL_LOCK_ACCESS_SINGLE Introduced in 7.10.3
- CURL_LOCK_DATA_CONNECT Introduced in 7.10.3
- CURL_LOCK_DATA_COOKIE Introduced in 7.10.3
- CURL_LOCK_DATA_DNS Introduced in 7.10.3
- CURL_LOCK_DATA_NONE Introduced in 7.10.3
- CURL_LOCK_DATA_SHARE Introduced in 7.10.4
- CURL_LOCK_DATA_SSL_SESSION Introduced in 7.10.3

- CURL_LOCK_TYPE_CONNECT Introduced in 7.10
- CURL_LOCK_TYPE_COOKIE Introduced in 7.10
- CURL_LOCK_TYPE_DNS Introduced in 7.10
- CURL_LOCK_TYPE_NONE Introduced in 7.10
- CURL_LOCK_TYPE_SSL_SESSION Introduced in 7.10
- CURL_MAX_HTTP_HEADER Introduced in 7.19.7
- CURL_MAX_WRITE_SIZE Introduced in 7.9.7
- CURL_NETRC_IGNORED Introduced in 7.9.8
- CURL_NETRC_OPTIONAL Introduced in 7.9.8
- CURL_NETRC_REQUIRED Introduced in 7.9.8
- CURL_POLL_IN
 Introduced in 7.14.0
- CURL_POLL_INOUT Introduced in 7.14.0
- CURL_POLL_NONE Introduced in 7.14.0
- CURL_POLL_OUT
 Introduced in 7.14.0
- CURL_POLL_REMOVE Introduced in 7.14.0
- CURL_PROGRESS_BAR Introduced in 7.1.1
- CURL_PROGRESS_STATS Introduced in 7.1.1
- CURL_PUSH_DENY
 Introduced in 7.44.0
- CURL_PUSH_OK Introduced in 7.44.0
- CURL_READFUNC_ABORT Introduced in 7.12.1
- CURL_READFUNC_PAUSE Introduced in 7.18.0
- CURL_REDIR_GET_ALL Introduced in 7.19.1

- CURL_REDIR_POST_301
 - Introduced in 7.19.1
- CURL_REDIR_POST_302 Introduced in 7.19.1
- CURL_REDIR_POST_303 Introduced in 7.25.1
- CURL_REDIR_POST_ALL Introduced in 7.19.1
- CURL_RTSPREQ_ANNOUNCE Introduced in 7.20.0
- CURL_RTSPREQ_DESCRIBE Introduced in 7.20.0
- CURL_RTSPREQ_GET_PARAMETER Introduced in 7.20.0
- CURL_RTSPREQ_NONE Introduced in 7.20.0
- CURL_RTSPREQ_OPTIONS Introduced in 7.20.0
- CURL_RTSPREQ_PAUSE Introduced in 7.20.0
- CURL_RTSPREQ_PLAY Introduced in 7.20.0
- CURL_RTSPREQ_RECEIVE Introduced in 7.20.0
- CURL_RTSPREQ_RECORD Introduced in 7.20.0
- CURL_RTSPREQ_SETUP Introduced in 7.20.0
- CURL_RTSPREQ_SET_PARAMETER Introduced in 7.20.0
- CURL_RTSPREQ_TEARDOWN Introduced in 7.20.0
- CURL_SEEKFUNC_CANTSEEK Introduced in 7.19.5
- CURL_SEEKFUNC_FAIL Introduced in 7.19.5
- CURL_SEEKFUNC_OK Introduced in 7.19.5
- CURL_SOCKET_BAD Introduced in 7.14.0
- CURL_SOCKET_TIMEOUT Introduced in 7.14.0
- CURL_SOCKOPT_ALREADY_CONNECTED Introduced in 7.21.5

CURL_SOCKOPT_ERROR

Introduced in 7.21.5

CURL_SOCKOPT_OK

Introduced in 7.21.5

CURL_SSLVERSION_DEFAULT

Introduced in 7.9.2

CURL_SSLVERSION_SSL

Introduced in

CURL SSLVERSION SSL

Introduced in

CURL_SSLVERSION_TLS

Introduced in

CURL_SSLVERSION_TLS

Introduced in

CURL_SSLVERSION_TLS

Introduced in

CURL_SSLVERSION_TLS

Introduced in

CURL_TIMECOND_IFMODSINCE

Introduced in 7.9.7

CURL_TIMECOND_IFUNMODSINCE

Introduced in 7.9.7

CURL_TIMECOND_LASTMOD

Introduced in 7.9.7

CURL TIMECOND NONE

Introduced in 7.9.7

CURL_TLSAUTH_NONE

Introduced in 7.21.4

CURL_TLSAUTH_SRP

Introduced in 7.21.4

CURL_VERSION_ASYNCHDNS

Introduced in 7.10.7

CURL_VERSION_CONV

Introduced in 7.15.4

CURL_VERSION_CURLDEBUG

Introduced in 7.19.6

CURL_VERSION_DEBUG

Introduced in 7.10.6

CURL_VERSION_GSSAPI

Introduced in 7.38.0

CURL_VERSION_GSSNEGOTIATE

Introduced in 7.10.6 Deprecated since 7.38.0

CURL VERSION HTTP2

Introduced in 7.33.0

CURL_VERSION_IDN
Introduced in 7.12.0

CURL_VERSION_IPV6
Introduced in 7.10

CURL_VERSION_KERBEROS4
Introduced in 7.10 Deprecated since 7.33.0

CURL_VERSION_KERBEROS5 Introduced in 7.40.0

CURL_VERSION_LARGEFILE Introduced in 7.11.1

CURL_VERSION_LIBZ Introduced in 7.10

CURL_VERSION_NTLM Introduced in 7.10.6

CURL_VERSION_NTLM_WB Introduced in 7.22.0

CURL_VERSION_SPNEGO Introduced in 7.10.8

CURL_VERSION_SSL Introduced in 7.10

CURL_VERSION_SSPI Introduced in 7.13.2

CURL_VERSION_TLSAUTH_SRP Introduced in 7.21.4

CURL_VERSION_UNIX_SOCKETS Introduced in 7.40.0

CURL_WAIT_POLLIN
Introduced in 7.28.0

CURL_WAIT_POLLOUT Introduced in 7.28.0

CURL_WAIT_POLLPRI Introduced in 7.28.0

CURL_WRITEFUNC_PAUSE Introduced in 7.18.0